



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Chen

Confirmation No.: 1170

Serial No: 09/667,966

Examiner: Barber, Therese

Filed: 09/22/00

Group Art Unit: 2882

Title: TOTAL-REFLECTION X-RAY FLUORESCENCE APPARATUS AND METHOD
USING A DOUBLY-CURVED OPTIC

OK to
enter
MAR
07/08/04

Certificate of Mailing

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to: Mail Stop Issue Fee, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on March 08, 2004.

Kevin P. Radigan
Kevin P. Radigan, Esq.
Attorney for Applicants
Reg. No. 31,789

Date of Signature: March 08, 2004

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Amendment Under 37 C.F.R. §1.312

Dear Sir:

This paper is filed in response to the Notice of Drawing Inconsistency With Specification mailed February 20, 2004, in connection with the above-designated Application. A response to the notice is initially due on or before March 20, 2004.

Amendments to the Specification begin on page 2 of this paper.

Remarks begin on page 3 of this paper.